JOURNAL OF THE AMERICAN PODIATRIC MEDICAL ASSOCIATION

January–December 2009
Volume 99

SUBJECT INDEX

A

Alcohol consumption
An appraisal of potential drug interactions in cigarette smokers and alcohol drinkers [Smith], 1:81

Amputation
Comprehensive foot examination and risk assessment (print only) [American Diabetes Association], 1:74
The team approach to amputation prevention: toward a diagnostic *lingua franca* (print only) [Armstrong], 1:73

Anatomy
Comparison of male and female foot shape [Luo et al], 5:383
Lower-extremity sclerotomes: clinical applications and the modified Mayo block [Meyr and DiPrimio], 3:232
Metatarsal protrusion angle: values of normality [Domínguez et al], 1:49
Prediction of anthropometric foot characteristics in children [Morrison et al], 6:497

Anesthesia
Lower-extremity sclerotomes: clinical applications and the modified Mayo block [Meyr and DiPrimio], 3:232

Ankle
Arthrodesis of neuropathic ankle joint by Ilizarov fixator in diabetic patients [Karapinar et al], 1:42
Iatrogenic osteochondral kissing lesion after transmalleolar drilling of the talar dome: a case report [D'Hooghe et al], 1:54
Total extrusion of the talus in an adolescent: a case report [Memisoglu and Hürmeydan], 5:431
A two-portal posterior endoscopic approach in the treatment of a complex talus fracture: a case report [Ogut et al], 5:443
Unrecognized anterior compartment syndrome following ankle fracture surgery: a case report [Seyahi et al], 5:438
Varicosities as an etiology of tarsal tunnel syndrome and the significance of Tinel's sign: report of two cases in young men and a review of the literature [Pasku et al], 2:144

Anthropometry
Metatarsal protrusion angle: values of normality [Domínguez et al], 1:49
Prediction of anthropometric foot characteristics in children [Morrison et al], 6:497

Arch height
Effect of running shoe type on the distribution and magnitude of plantar pressures in individuals with low- or high-arched feet [Molloy et al], 4:330

Arch index
Effect of running shoe type on the distribution and magnitude of plantar pressures in individuals with low- or high-arched feet [Molloy et al], 4:330

Artery
Medial plantar artery pseudoaneurysm following percutaneous pinning for Lisfranc fracture-dislocation [Baeza et al], 1:58

Arthritis
Effect of coexisting foot deformity on disability in women with knee osteoarthritis [Guler et al], 1:23
Iatrogenic osteochondral kissing lesion after transmalleolar drilling of the talar dome: a case report [D'Hooghe et al], 1:54
Psoriatic onychopachydermoperiostitis (POPP): a perplexing case study [Mahoney and Scott], 2:140

Arthrodesis
Arthrodesis of neuropathic ankle joint by Ilizarov fixator in diabetic patients [Karapinar et al], 1:42

Arthroereisis
Subtalar arthroereisis for pediatric flexible pes planovalgus: fifteen years experience with the cone-shaped implant [Koning et al], 5:447

Arthropathy
Arthrodesis of neuropathic ankle joint by Ilizarov fixator in diabetic patients [Karapinar et al], 1:42
Psoriatic onychopachydermoperiostitis (POPP): a perplexing case study [Mahoney and Scott], 2:140

B

Balance
Scientific assessment of over-the-counter foot orthoses to determine their effects on pain, balance, and foot deformities [Landsman et al], 3:206

Basic Foot Screening Checklist
Validation of the Basic Foot Screening Checklist: a population screening tool for identifying foot ulcer risk in people with diabetes mellitus [Bower and Hobbs], 4:339

Biomechanics
An assessment of strapping techniques commonly used for pronated foot deformities [Carter and Chockalingam], 5:391
Bilateral measurement of resting calcaneal stance position and tibial varum using digital photography and standardized positioning protocols [Mahar and Livingston], 3:198
Biomechanical comparison of Achilles tenotomy and Achilloplasty techniques in young rats: an experimental study [Dogan et al], 3:216
Biomechanical consequences of total plantar fasciotomy: a review of the literature [Tweed et al], 5:422
Classification of frontal plane rearfoot motion patterns during the stance phase of walking [Cornwall and McPoil], 5:399
The effect of heel height on gait and posture: a review of the literature [Cowley et al], 6:512

Effect of running shoe type on the distribution and magnitude of plantar pressures in individuals with low- or high-arched feet [Molloy et al], 4:330
Effect of 7-degree rearfoot varus and valgus wedging on rearfoot kinematics and kinetics during the stance phase of walking [Pascual Huerta et al], 5:415
Functional hallux limitus: a review [Durrant and Chockalingam], 3:236
Gait changes with the use of Heelys: a case study [Norem et al], 3:247
Late rearfoot eversion and lower-limb internal rotation caused by changes in the interaction between forefoot and support surface [Souza et al], 6:503
Metatarsal protrusion angle: values of normality [Domínguez et al], 1:49
Plantar pressures during shod gait in diabetic neuropathic patients with and without a history of plantar ulceration [Sacco et al], 4:285
A review of the theoretical unified approach to podiatric biomechanics in relation to foot orthoses therapy [Harradine and Bevan], 4:317
Static response of maximally pronated and nonmaximally pronated feet to frontal plane wedging of foot orthoses [Pascual Huerta et al], 1:13

Bladder
Pedal presentation of metastatic invasive squamous cell carcinoma of the bladder [Dux et al], 3:251

Bone
Bilateral stress fractures of the distal fibula in a woman with osteoporosis: a case report [Kazimoglu et al], 1:61
Combined surgical therapy and orthotic management of stress and tuberosity avulsion fracture of the fifth metatarsal bone: a case report [Darabos et al], 6:529
A comparison of vitamin D levels in nondiabetic and diabetic patient populations [Yoho et al], 1:35
A complex variant of Lisfranc joint complex injury [Bulut et al], 4:359
Distal tibial epiphyseal fracture (Tillaux) and capsular interposition [Poyanli et al], 5:435
An enlarging distal tibia osteochondroma in the adult patient [Galasso et al], 2:157
Fracture-dislocation of the second metatarsophalangeal joint: a case report [Tadros], 6:525
Iatrogenic osteochondral kissing lesion after transmalleolar drilling of the talar dome: a case report [D'Hooghe et al], 1:54
In-toeing in children with type I osteogenesis imperfecta: an observational descriptive study [Losa Iglesias et al], 4:326
Low bone mass and fractures on foot radiographs: missed opportunities to evaluate for osteoporosis: a pilot study [Newton et al], 1:1
Lower-extremity sclerotomes: clinical applications and the modified Mayo block [Meyr and DiPrimio], 3:232
A new device for performing triplanar distal osteotomy for hallux valgus [Marinozzi et al], 6:536
A proposed subungual exostosis clinical classification and treatment plan [García Carmona et al], 6:519
Total extrusion of the talus in an adolescent: a case report [Memisoglu and Hürmeydan], 5:431
A two-portal posterior endoscopic approach in the treatment of a complex talus fracture: a case report [Ogut et al], 5:443

Bone mineral density
Bilateral stress fractures of the distal fibula in a woman with osteoporosis: a case report [Kazimoglu et al], 1:61
A comparison of vitamin D levels in nondiabetic and diabetic patient populations [Yoho et al], 1:35
Low bone mass and fractures on foot radiographs: missed opportunities to evaluate for osteoporosis: a pilot study [Newton et al], 1:1

Book reviews
Review of *Foot and Lower Extremity Biomechanics III: Precision Intricast Newsletters, 2002-2008* (Kirby) [Spooner], 5:476
Review of *Keep the Legs You Stand On* (Hinkes) [Satterfield], 5:477
Review of *Wound Care Practice* (Sheffield and Fife, eds.) [Donohue], 5:475

C

Calcaneus
Bilateral measurement of resting calcaneal stance position and tibial varum using digital photography and standardized positioning protocols [Mahar and Livingston], 3:198
Static response of maximally pronated and nonmaximally pronated feet to frontal plane wedging of foot orthoses [Pascual Huerta et al], 1:13

Carcinoma
Pedal presentation of metastatic invasive squamous cell carcinoma of the bladder [Dux et al], 3:251

Cartilage
Iatrogenic osteochondral kissing lesion after transmalleolar drilling of the talar dome: a case report [D'Hooghe et al], 1:54

Charcot's foot
Arthrodesis of neuropathic ankle joint by Ilizarov fixator in diabetic patients [Karapinar et al], 1:42
A comparison of vitamin D levels in nondiabetic and diabetic patient populations [Yoho et al], 1:35

Cigarette smoking
An appraisal of potential drug interactions in cigarette smokers and alcohol drinkers [Smith], 1:81

Claw toe
Definitions of hammer toe and claw toe: an evaluation of the literature [Schrier et al], 3:194

Clubfoot
Biomechanical comparison of Achilles tenotomy and Achilloplasty techniques in young rats: an experimental study [Dogan et al], 3:216
A review of the Ponseti method and development of an infant clubfoot program in Vietnam [Evans and Thanh], 4:306

Collagen
Equine pericardium collagen wound dressing in the treatment of the neuropathic diabetic foot wound: a pilot study [Fleischli et al], 4:301
In-toeing in children with type I osteogenesis imperfecta: an observational descriptive study [Losa Iglesias et al], 4:326

Compartment syndrome
Unrecognized anterior compartment syndrome following ankle fracture surgery: a case report [Seyahi et al], 5:438

Complementary and alternative medicine
Knowledge, beliefs, and use of complementary and alternative medicine by Australian podiatric physicians [Wilkinson and Tinley], 2:121

Congenital deformity
Biomechanical comparison of Achilles tenotomy and Achilloplasty techniques in young rats: an experimental study [Dogan et al], 3:216
The flat-footed child—to treat or not to treat: what is the clinician to do? (letters) [Bresnahan, D'Amico], 2:178, 3:267; (author's responses) [Evans], 2:179, 3:268
In-toeing in children with type I osteogenesis imperfecta: an observational descriptive study [Losa Iglesias et al], 4:326
Poor sitting posture and metatarsus adductus deformity [Losa Iglesias et al], 2:174
A review of the Ponseti method and development of an infant clubfoot program in Vietnam [Evans and Thanh], 4:306

Corticosteroids
Treatment of plantar fasciitis using four different local injection modalities: a randomized prospective clinical trial [Kalaci et al], 2:108

Cuneiform
A complex variant of Lisfranc joint complex injury [Bulut et al], 4:359

Cyst, inclusion
Plantar epidermoid inclusion cyst as a possible cause of intractable plantar keratosis lesions [Garcia Carmona et al], 2:148

D

Deep venous thrombosis
Antiswelling effect of StepIt—an active foot pump system [Bergqvist], 1:20

Diabetes mellitus
Arthrodesis of neuropathic ankle joint by Ilizarov fixator in diabetic patients [Karapinar et al], 1:42
A comparison of vitamin D levels in nondiabetic and diabetic patient populations [Yoho et al], 1:35
Comprehensive foot examination and risk assessment (print only) [American Diabetes Association], 1:74
Could nebivolol be an alternative drug for the treatment of diabetic foot ulcers? [Gulcan], 5:459
Diabetic foot infections: time to change the prognostic concept [Nielson and Ali], 5:454
Diagnosis and prevalence of onychomycosis in diabetic neuropathic patients: an observational study [Dumont], 2:135
Dynamic changes in matrix metalloproteinase 9 and tissue inhibitor of metalloproteinase 1 levels during wound healing in diabetic rats [Yang et al], 6:489
Effectiveness and safety of using Podikon digital silicone padding in the primary prevention of neuropathic lesions in the forefoot of diabetic patients [Scirè et al], 1:28
Equine pericardium collagen wound dressing in the treatment of the neuropathic diabetic foot wound: a pilot study [Fleischli et al], 4:301
Improving preventive foot care for diabetic patients participating in group education [Sun et al], 4:295
A method for assessing off-loading compliance [Crews et al], 2:100
Plantar pressures during shod gait in diabetic neuropathic patients with and without a history of plantar ulceration [Sacco et al], 4:285
Preclinical symptoms of the diabetic foot [Bekler and Ertav], 2:114
Quality of life in people with their first diabetic foot ulcer: a prospective cohort study [Winkley et al], 5:406
The team approach to amputation prevention: toward a diagnostic *lingua franca* (print only) [Armstrong], 1:73
Validation of the Basic Foot Screening Checklist: a population screening tool for identifying foot ulcer risk in people with diabetes mellitus [Bower and Hobbs], 4:339

Disability
Effect of coexisting foot deformity on disability in women with knee osteoarthritis [Guler et al], 1:23

Drugs
An appraisal of potential drug interactions in cigarette smokers and alcohol drinkers [Smith], 1:81
Can pimecrolimus enhance wound healing? [Miller], 2:173
Could nebivolol be an alternative drug for the treatment of diabetic foot ulcers? [Gulcan], 5:459

E

Edema
Antiswelling effect of StepIt—an active foot pump system [Bergqvist], 1:20

Education
Improving preventive foot care for diabetic patients participating in group education [Sun et al], 4:295
Podiatric medicine: a current assessment [Levrio], 1:65
Public perceptions of the podiatrist and the DPM degree [Akers et al], 3:223

Electrostimulation
Use of low-frequency electrical stimulation for the treatment of plantar fasciitis [Stratton et al], 6:481

Electrosurgery
Cutaneous surgery: reconsidering electrosurgery [Robinson], 4:353

Epithelium
Pedal presentation of metastatic invasive squamous cell carcinoma of the bladder [Dux et al], 3:251

Evidence-based medicine
Evidence-based podiatric medicine: importance of systematic reviews in clinical practice [Hawke et al], 3:260

Exercise
Unrecognized anterior compartment syndrome following ankle fracture surgery: a case report [Seyahi et al], 5:438

Exostosis
A proposed subungual exostosis clinical classification and treatment plan [García Carmona et al], 6:519

Extracorporeal shockwave treatment
Extracorporeal shockwave therapy for interdigital neuroma: a randomized, placebo-controlled, double-blind trial [Fridman et al], 3:191; (letters) [Payne, Landorf, Turlik], 5:472; (authors' response) [Fridman et al], 5:474

F

Fasciitis, plantar
Biomechanical consequences of total plantar fasciotomy: a review of the literature [Tweed et al], 5:422
Treatment of plantar fasciitis using four different local injection modalities: a randomized prospective clinical trial [Kalaci et al], 2:108
Ultrasound-guided plantar fascia release technique: a retrospective study of 46 feet [Vohra and Japour], 3:183

Use of low-frequency electrical stimulation for the treatment of plantar fasciitis [Stratton et al], 6:481

Fibromatosis
Plantar fibromatosis masquerading as metastatic melanoma [Kroeker et al], 4:364

Fibula
Bilateral stress fractures of the distal fibula in a woman with osteoporosis: a case report [Kazimoglu et al], 1:61

Flatfoot
Effect of coexisting foot deformity on disability in women with knee osteoarthritis [Guler et al], 1:23
The flat-footed child—to treat or not to treat: what is the clinician to do? (letters) [Bresnahan, D'Amico], 2:178, 3:267; (author's responses) [Evans], 2:179, 3:268
Subtalar arthroereisis for pediatric flexible pes planovalgus: fifteen years experience with the cone-shaped implant [Koning et al], 5:447

Foot type
An assessment of strapping techniques commonly used for pronated foot deformities [Carter and Chockalingam], 5:391
Comparison of male and female foot shape [Luo et al], 5:383
Effect of running shoe type on the distribution and magnitude of plantar pressures in individuals with low- or high-arched feet [Molloy et al], 4:330

Footwear
Comparison of male and female foot shape [Luo et al], 5:383
The effect of heel height on gait and posture: a review of the literature [Cowley et al], 6:512
Effect of running shoe type on the distribution and magnitude of plantar pressures in individuals with low- or high-arched feet [Molloy et al], 4:330
Gait changes with the use of Heelys: a case study [Norem et al], 3:247
A method for assessing off-loading compliance [Crews et al], 2:100

Forefoot
Effectiveness and safety of using Podikon digital silicone padding in the primary prevention of neuropathic lesions in the forefoot of diabetic patients [Scirè et al], 1:28
Late rearfoot eversion and lower-limb internal rotation caused by changes in the interaction between forefoot and support surface [Souza et al], 6:503

Fracture
Bilateral stress fractures of the distal fibula in a woman with osteoporosis: a case report [Kazimoglu et al], 1:61
Combined surgical therapy and orthotic management of stress and tuberosity avulsion fracture of the fifth metatarsal bone: a case report [Darabos et al], 6:529
A complex variant of Lisfranc joint complex injury [Bulut et al], 4:359
Distal tibial epiphyseal fracture (Tillaux) and capsular interposition [Poyanli et al], 5:435
Fracture-dislocation of the second metatarsophalangeal joint: a case report [Tadros], 6:525
Low bone mass and fractures on foot radiographs: missed opportunities to evaluate for osteoporosis: a pilot study [Newton et al], 1:1
Medial plantar artery pseudoaneurysm following percutaneous pinning for Lisfranc fracture-dislocation [Baeza et al], 1:58
A two-portal posterior endoscopic approach in the treatment of a complex talus fracture: a case report [Ogut et al], 5:443
Unrecognized anterior compartment syndrome following ankle fracture surgery: a case report [Seyahi et al], 5:438

Fungus
Diagnosis and prevalence of onychomycosis in diabetic neuropathic patients: an observational study [Dumont], 2:135
A review of current research in light-based technologies for treatment of podiatric infectious disease states [Bornstein], 4:348

G

Gait
An assessment of strapping techniques commonly used for pronated foot deformities [Carter and Chockalingam], 5:391
Biomechanical consequences of total plantar fasciotomy: a review of the literature [Tweed et al], 5:422
Classification of frontal plane rearfoot motion patterns during the stance phase of walking [Cornwall and McPoil], 5:399
Dynamic splinting for runner's toe: a case report with gait analysis [John et al], 4:367
The effect of heel height on gait and posture: a review of the literature [Cowley et al], 6:512
Effect of running shoe type on the distribution and magnitude of plantar pressures in individuals with low- or high-arched feet [Molloy et al], 4:330
Effect of 7-degree rearfoot varus and valgus wedging on rearfoot kinematics and kinetics during the stance phase of walking [Pascual Huerta et al], 5:415
Functional hallux limitus: a review [Durrant and Chockalingam], 3:236
Gait changes with the use of Heelys: a case study [Norem et al], 3:247
In-toeing in children with type I osteogenesis imperfecta: an observational descriptive study [Losa Iglesias et al], 4:326
Late rearfoot eversion and lower-limb internal rotation caused by changes in the interaction between forefoot and support surface [Souza et al], 6:503
Plantar pressures during shod gait in diabetic neuropathic patients with and without a history of plantar ulceration [Sacco et al], 4:285
Poor sitting posture and metatarsus adductus deformity [Losa Iglesias et al], 2:174
A review of the theoretical unified approach to podiatric biomechanics in relation to foot orthoses therapy [Harradine and Bevan], 4:317

Graft
Histologic evaluation of a 6-month GraftJacket Matrix biopsy used for Achilles tendon augmentation [Liden and Simmons], 2:104

Guidelines, authors'
Guidelines for authors [Joseph], 3:270, 4:377, 6:541

H

Hallux limitus
Dynamic splinting for runner's toe: a case report with gait analysis [John et al], 4:367
Functional hallux limitus: a review [Durrant and Chockalingam], 3:236

Hallux valgus
Effect of coexisting foot deformity on disability in women with knee osteoarthritis [Guler et al], 1:23
A new device for performing triplanar distal osteotomy for hallux valgus [Marinozzi et al], 6:536
Treatment of hallux valgus with three-dimensional modification of Mitchell's osteotomy: technique and results [Lucijanic et al], 2:162

Hallux valgus interphalangeus
L-shaped big toe: a case of severe hallux valgus interphalangeus [Cansü], 3:244

Hammer toe
Definitions of hammer toe and claw toe: an evaluation of the literature [Schrier et al], 3:194

Heel
Bilateral measurement of resting calcaneal stance position and tibial varum using digital photography and standardized positioning protocols [Mahar and Livingston], 3:198
Granular cell tumor of the posterior tibial nerve as a rare cause of heel pain: a case report [Dogramaci et al], 3:254
Static response of maximally pronated and nonmaximally pronated feet to frontal plane wedging of foot orthoses [Pascual Huerta et al], 1:13
Treatment of plantar fasciitis using four different local injection modalities: a randomized prospective clinical trial [Kalaci et al], 2:108
Ultrasound-guided plantar fascia release technique: a retrospective study of 46 feet [Vohra and Japour], 3:183
Use of low-frequency electrical stimulation for the treatment of plantar fasciitis [Stratton et al], 6:481

Heelys
Gait changes with the use of Ḧeelys: a case study [Norem et al], 3:247

Human immunodeficiency virus
Human papilloma virus type 69 identified in a clinically aggressive plantar verruca from an HIV-positive patient [Whitaker et al], 1:8

Hyperkeratosis
Cutaneous surgery: reconsidering electrosurgery [Robinson], 4:353
Effectiveness and safety of using Podikon digital silicone padding in the primary prevention of neuropathic lesions in the forefoot of diabetic patients [Scirè et al], 1:28

I

Ilizarov fixator
Arthrodesis of neuropathic ankle joint by Ilizarov fixator in diabetic patients [Karapinar et al], 1:42

Imaging
Diffraction-enhanced imaging for Achilles tendon lesions: a preliminary study [Muehleman et al], 2:95
Low bone mass and fractures on foot radiographs: missed opportunities to evaluate for osteoporosis: a pilot study [Newton et al], 1:1
Ultrasound-guided plantar fascia release technique: a retrospective study of 46 feet [Vohra and Japour], 3:183

Infection
Diabetic foot infections: time to change the prognostic concept [Nielson and Ali], 5:454
Diagnosis and prevalence of onychomycosis in diabetic neuropathic patients: an observational study [Dumont], 2:135
Human papilloma virus type 69 identified in a clinically aggressive plantar verruca from an HIV-positive patient [Whitaker et al], 1:8
A review of current research in light-based technologies for treatment of podiatric infectious disease states [Bornstein], 4:348

Injection
Flexor tendon sheath as a source of pain in lesser metatarsal overload [Perez and Roberts], 2:129
Treatment of plantar fasciitis using four different local injection modalities: a randomized prospective clinical trial [Kalaci et al], 2:108

Injury
Bilateral stress fractures of the distal fibula in a woman with osteoporosis: a case report [Kazimoglu et al], 1:61
Combined surgical therapy and orthotic management of stress and tuberosity avulsion fracture of the fifth metatarsal bone: a case report [Darabos et al], 6:529
A complex variant of Lisfranc joint complex injury [Bulut et al], 4:359
Distal tibial epiphyseal fracture (Tillaux) and capsular interposition [Poyanli et al], 5:435
Fracture-dislocation of the second metatarsophalangeal joint: a case report [Tadros], 6:525
Iatrogenic osteochondral kissing lesion after transmalleolar drilling of the talar dome: a case report [D'Hooghe et al], 1:54
Medial plantar artery pseudoaneurysm following percutaneous pinning for Lisfranc fracture-dislocation [Baeza et al], 1:58
The relationship between the use of foot orthoses and knee ligament injury in female collegiate basketball players (letter) [Curran], 1:89; (author's response) [Jenkins], 1:91
A two-portal posterior endoscopic approach in the treatment of a complex talus fracture: a case report [Ogut et al], 5:443
Unrecognized anterior compartment syndrome following ankle fracture surgery: a case report [Seyahi et al], 5:438

In-toeing
In-toeing in children with type I osteogenesis imperfecta: an observational descriptive study [Losa Iglesias et al], 4:326

J

Joint
Arthrodesis of neuropathic ankle joint by Ilizarov fixator in diabetic patients [Karapinar et al], 1:42
A comparison of vitamin D levels in nondiabetic and diabetic patient populations [Yoho et al], 1:35
A complex variant of Lisfranc joint complex injury [Bulut et al], 4:359
Definitions of hammer toe and claw toe: an evaluation of the literature [Schrier et al], 3:194
Dynamic splinting for runner's toe: a case report with gait analysis [John et al], 4:367
Effect of coexisting foot deformity on disability in women with knee osteoarthritis [Guler et al], 1:23
Flexor tendon sheath as a source of pain in lesser metatarsal overload [Perez and Roberts], 2:129
Fracture-dislocation of the second metatarsophalangeal joint: a case report [Tadros], 6:525
Functional hallux limitus: a review [Durrant and Chockalingam], 3:236

Iatrogenic osteochondral kissing lesion after transmalleolar drilling of the talar dome: a case report [D'Hooghe et al], 1:54
Lipoma arborescens of the peroneus longus and peroneus brevis tendon sheath: case report [Dogramaci et al], 2:153
L-shaped big toe: a case of severe hallux valgus interphalangeus [Cansü], 3:244
Medial plantar artery pseudoaneurysm following percutaneous pinning for Lisfranc fracture-dislocation [Baeza et al], 1:58
A new device for performing triplanar distal osteotomy for hallux valgus [Marinozzi et al], 6:536
Psoriatic onychopachydermoperiostitis (POPP): a perplexing case study [Mahoney and Scott], 2:140
The relationship between the use of foot orthoses and knee ligament injury in female collegiate basketball players (letter) [Curran], 1:89; (author's response) [Jenkins], 1:91
Static response of maximally pronated and nonmaximally pronated feet to frontal plane wedging of foot orthoses [Pascual Huerta et al], 1:13
Subtalar arthroereisis for pediatric flexible pes planovalgus: fifteen years experience with the cone-shaped implant [Koning et al], 5:447
Varicosities as an etiology of tarsal tunnel syndrome and the significance of Tinel's sign: report of two cases in young men and a review of the literature [Pasku et al], 2:144

K

Keratosis
Plantar epidermoid inclusion cyst as a possible cause of intractable plantar keratosis lesions [Garcia Carmona et al], 2:148

Kinematics
Classification of frontal plane rearfoot motion patterns during the stance phase of walking [Cornwall and McPoil], 5:399
The effect of heel height on gait and posture: a review of the literature [Cowley et al], 6:512
Effect of 7-degree rearfoot varus and valgus wedging on rearfoot kinematics and kinetics during the stance phase of walking [Pascual Huerta et al], 5:415
Functional hallux limitus: a review [Durrant and Chockalingam], 3:236
Late rearfoot eversion and lower-limb internal rotation caused by changes in the interaction between forefoot and support surface [Souza et al], 6:503
Static response of maximally pronated and nonmaximally pronated feet to frontal plane wedging of foot orthoses [Pascual Huerta et al], 1:13

Kinetics
The effect of heel height on gait and posture: a review of the literature [Cowley et al], 6:512
Effect of 7-degree rearfoot varus and valgus wedging on rearfoot kinematics and kinetics during the stance phase of walking [Pascual Huerta et al], 5:415
Functional hallux limitus: a review [Durrant and Chockalingam], 3:236
Late rearfoot eversion and lower-limb internal rotation caused by changes in the interaction between forefoot and support surface [Souza et al], 6:503
Static response of maximally pronated and nonmaximally pronated feet to frontal plane wedging of foot orthoses [Pascual Huerta et al], 1:13

Knee
Effect of coexisting foot deformity on disability in women with knee osteoarthritis [Guler et al], 1:23
The relationship between the use of foot orthoses and knee ligament injury in female collegiate basketball players (letter) [Curran], 1:89; (author's response) [Jenkins], 1:91

L

Laser
A review of current research in light-based technologies for treatment of podiatric infectious disease states [Bornstein], 4:348

Lesion
Cutaneous surgery: reconsidering electrosurgery [Robinson], 4:353
Diffraction-enhanced imaging for Achilles tendon lesions: a preliminary study [Muehleman et al], 2:95
Effectiveness and safety of using Podikon digital silicone padding in the primary prevention of neuropathic lesions in the forefoot of diabetic patients [Scirè et al], 1:28
An enlarging distal tibia osteochondroma in the adult patient [Galasso et al], 2:157
Extracorporeal shockwave therapy for interdigital neuroma: a randomized, placebo-controlled, double-blind trial [Fridman et al], 3:191; (letters) [Payne, Landorf, Turlik], 5:472; (authors' response) [Fridman et al], 5:474
Granular cell tumor of the posterior tibial nerve as a rare cause of heel pain: a case report [Dogramaci et al], 3:254
Human papilloma virus type 69 identified in a clinically aggressive plantar verruca from an HIV-positive patient [Whitaker et al], 1:8
Iatrogenic osteochondral kissing lesion after transmalleolar drilling of the talar dome: a case report [D'Hooghe et al], 1:54
Lipoma arborescens of the peroneus longus and peroneus brevis tendon sheath: case report [Dogramaci et al], 2:153
Pedal presentation of metastatic invasive squamous cell carcinoma of the bladder [Dux et al], 3:251
Plantar epidermoid inclusion cyst as a possible cause of intractable plantar keratosis lesions [Garcia Carmona et al], 2:148
Plantar fibromatosis masquerading as metastatic melanoma [Kroeker et al], 4:364
Preclinical symptoms of the diabetic foot [Bekler and Ertav], 2:114
A proposed subungual exostosis clinical classification and treatment plan [García Carmona et al], 6:519
Psoriatic onychopachydermoperiostitis (POPP): a perplexing case study [Mahoney and Scott], 2:140

Ligament
The relationship between the use of foot orthoses and knee ligament injury in female collegiate basketball players (letter) [Curran], 1:89; (author's response) [Jenkins], 1:91

Light, ultraviolet
A review of current research in light-based technologies for treatment of podiatric infectious disease states [Bornstein], 4:348

Lipoma arborescens
Lipoma arborescens of the peroneus longus and peroneus brevis tendon sheath: case report [Dogramaci et al], 2:153

Lisfranc fracture
A complex variant of Lisfranc joint complex injury [Bulut et al], 4:359
Medial plantar artery pseudoaneurysm following percutaneous pinning for Lisfranc fracture-dislocation [Baeza et al], 1:58

M

Matrix, extracellular
Dynamic changes in matrix metalloproteinase 9 and tissue inhibitor of metalloproteinase 1 levels during wound healing in diabetic rats [Yang et al], 6:489

Mayo block
Lower-extremity sclerotomes: clinical applications and the modified Mayo block [Meyr and DiPrimio], 3:232

Measurement
Bilateral measurement of resting calcaneal stance position and tibial varum using digital photography and standardized positioning protocols [Mahar and Livingston], 3:198
Healing ratio may predict patient wound healing capability [Johnson], 3:258
Metatarsal protrusion angle: values of normality [Domínguez et al], 1:49
Self-assessment of foot health: requirements, issues, practicalities, and challenges [Trevethan], 5:460

Metalloproteinase, matrix
Dynamic changes in matrix metalloproteinase 9 and tissue inhibitor of metalloproteinase 1 levels during wound healing in diabetic rats [Yang et al], 6:489

Metastasis
Pedal presentation of metastatic invasive squamous cell carcinoma of the bladder [Dux et al], 3:251

Metatarsal
Combined surgical therapy and orthotic management of stress and tuberosity avulsion fracture of the fifth metatarsal bone: a case report [Darabos et al], 6:529
Flexor tendon sheath as a source of pain in lesser metatarsal overload [Perez and Roberts], 2:129
Fracture-dislocation of the second metatarsophalangeal joint: a case report [Tadros], 6:525
Metatarsal protrusion angle: values of normality [Domínguez et al], 1:49
Plantar epidermoid inclusion cyst as a possible cause of intractable plantar keratosis lesions [Garcia Carmona et al], 2:148
Poor sitting posture and metatarsus adductus deformity [Losa Iglesias et al], 2:174
Treatment of hallux valgus with three-dimensional modification of Mitchell's osteotomy: technique and results [Lucijanic et al], 2:162

Metatarsus adductus deformity
In-toeing in children with type I osteogenesis imperfecta: an observational descriptive study [Losa Iglesias et al], 4:326
Poor sitting posture and metatarsus adductus deformity [Losa Iglesias et al], 2:174

Missions, medical
International public health in Third World country medical missions: when small legs walk, we all stand a little taller [Lee and Weinstein], 4:371

Mitchell's osteotomy
Treatment of hallux valgus with three-dimensional modification of Mitchell's osteotomy: technique and results [Lucijanic et al], 2:162

Morphology
Comparison of male and female foot shape [Luo et al], 5:383
Prediction of anthropometric foot characteristics in children [Morrison et al], 6:497
Scientific assessment of over-the-counter foot orthoses to determine their effects on pain, balance, and foot deformities [Landsman et al], 3:206

N

Nail
Diagnosis and prevalence of onychomycosis in diabetic neuropathic patients: an observational study [Dumont], 2:135
A proposed subungual exostosis clinical classification and treatment plan [García Carmona et al], 6:519
A review of current research in light-based technologies for treatment of podiatric infectious disease states [Bornstein], 4:348

Nebivolol
Could nebivolol be an alternative drug for the treatment of diabetic foot ulcers? [Gulcan], 5:459

Nerve
Extracorporeal shockwave therapy for interdigital neuroma: a randomized, placebo-controlled, double-blind trial [Fridman et al], 3:191; (letters) [Payne, Landorf, Turlik], 5:472; (authors' response) [Fridman et al], 5:474
Granular cell tumor of the posterior tibial nerve as a rare cause of heel pain: a case report [Dogramaci et al], 3:254
Lower-extremity sclerotomes: clinical applications and the modified Mayo block [Meyr and DiPrimio], 3:232
Varicosities as an etiology of tarsal tunnel syndrome and the significance of Tinel's sign: report of two cases in young men and a review of the literature [Pasku et al], 2:144

Neuroarthropathy
A comparison of vitamin D levels in nondiabetic and diabetic patient populations [Yoho et al], 1:35

Neuroma
Extracorporeal shockwave therapy for interdigital neuroma: a randomized, placebo-controlled, double-blind trial [Fridman et al], 3:191; (letters) [Payne, Landorf, Turlik], 5:472; (authors' response) [Fridman et al], 5:474

Neuropathy
Arthrodesis of neuropathic ankle joint by Ilizarov fixator in diabetic patients [Karapinar et al], 1:42
Comprehensive foot examination and risk assessment (print only) [American Diabetes Association], 1:74
Could nebivolol be an alternative drug for the treatment of diabetic foot ulcers? [Gulcan], 5:459
Diabetic foot infections: time to change the prognostic concept [Nielson and Ali], 5:454
Diagnosis and prevalence of onychomycosis in diabetic neuropathic patients: an observational study [Dumont], 2:135
Effectiveness and safety of using Podikon digital silicone padding in the primary prevention of neuropathic lesions in the forefoot of diabetic patients [Scirè et al], 1:28
Equine pericardium collagen wound dressing in the treatment of the neuropathic diabetic foot wound: a pilot study [Fleischli et al], 4:301

Plantar pressures during shod gait in diabetic neuropathic patients with and without a history of plantar ulceration [Sacco et al], 4:285
Preclinical symptoms of the diabetic foot [Bekler and Ertav], 2:114
The team approach to amputation prevention: toward a diagnostic *lingua franca* (print only) [Armstrong], 1:73
Varicosities as an etiology of tarsal tunnel syndrome and the significance of Tinel's sign: report of two cases in young men and a review of the literature [Pasku et al], 2:144

O

Onychomycosis
Diagnosis and prevalence of onychomycosis in diabetic neuropathic patients: an observational study [Dumont], 2:135
A review of current research in light-based technologies for treatment of podiatric infectious disease states [Bornstein], 4:348

Onychopachydermoperiostitis
Psoriatic onychopachydermoperiostitis (POPP): a perplexing case study [Mahoney and Scott], 2:140

Orthoses
Combined surgical therapy and orthotic management of stress and tuberosity avulsion fracture of the fifth metatarsal bone: a case report [Darabos et al], 6:529
Effectiveness and safety of using Podikon digital silicone padding in the primary prevention of neuropathic lesions in the forefoot of diabetic patients [Scirè et al], 1:28
The effect of heel height on gait and posture: a review of the literature [Cowley et al], 6:512
Effect of 7-degree rearfoot varus and valgus wedging on rearfoot kinematics and kinetics during the stance phase of walking [Pascual Huerta et al], 5:415
Late rearfoot eversion and lower-limb internal rotation caused by changes in the interaction between forefoot and support surface [Souza et al], 6:503
The relationship between the use of foot orthoses and knee ligament injury in female collegiate basketball players (letter) [Curran], 1:89; (author's response) [Jenkins], 1:91
A review of the theoretical unified approach to podiatric biomechanics in relation to foot orthoses therapy [Harradine and Bevan], 4:317
Scientific assessment of over-the-counter foot orthoses to determine their effects on pain, balance, and foot deformities [Landsman et al], 3:206
Static response of maximally pronated and nonmaximally pronated feet to frontal plane wedging of foot orthoses [Pascual Huerta et al], 1:13

Osteoarthritis
Effect of coexisting foot deformity on disability in women with knee osteoarthritis [Guler et al], 1:23
Iatrogenic osteochondral kissing lesion after transmalleolar drilling of the talar dome: a case report [D'Hooghe et al], 1:54

Osteochondroma
An enlarging distal tibia osteochondroma in the adult patient [Galasso et al], 2:157

Osteogenesis imperfecta
In-toeing in children with type I osteogenesis imperfecta: an observational descriptive study [Losa Iglesias et al], 4:326

Osteopenia
Low bone mass and fractures on foot radiographs: missed opportunities to evaluate for osteoporosis: a pilot study [Newton et al], 1:1

Osteoporosis
Bilateral stress fractures of the distal fibula in a woman with osteoporosis: a case report [Kazimoglu et al], 1:61
A comparison of vitamin D levels in nondiabetic and diabetic patient populations [Yoho et al], 1:35
Low bone mass and fractures on foot radiographs: missed opportunities to evaluate for osteoporosis: a pilot study [Newton et al], 1:1

Osteotomy
A new device for performing triplanar distal osteotomy for hallux valgus [Marinozzi et al], 6:536
Treatment of hallux valgus with three-dimensional modification of Mitchell's osteotomy: technique and results [Lucijanic et al], 2:162

P

Pachydermoperiostitis
Psoriatic onychopachydermoperiostitis (POPP): a perplexing case study [Mahoney and Scott], 2:140

Pain
Granular cell tumor of the posterior tibial nerve as a rare cause of heel pain: a case report [Dogramaci et al], 3:254
Lower-extremity sclerotomes: clinical applications and the modified Mayo block [Meyr and DiPrimio], 3:232
Scientific assessment of over-the-counter foot orthoses to determine their effects on pain, balance, and foot deformities [Landsman et al], 3:206

Pediatric population
Distal tibial epiphyseal fracture (Tillaux) and capsular interposition [Poyanli et al], 5:435
The flat-footed child—to treat or not to treat: what is the clinician to do? (letters) [Bresnahan, D'Amico], 2:178, 3:267; (author's responses) [Evans], 2:179, 3:268
Gait changes with the use of Heelys: a case study [Norem et al], 3:247
International public health in Third World country medical missions: when small legs walk, we all stand a little taller [Lee and Weinstein], 4:371
In-toeing in children with type I osteogenesis imperfecta: an observational descriptive study [Losa Iglesias et al], 4:326
Prediction of anthropometric foot characteristics in children [Morrison et al], 6:497
A review of the Ponseti method and development of an infant clubfoot program in Vietnam [Evans and Thanh], 4:306
Subtalar arthroereisis for pediatric flexible pes planovalgus: fifteen years experience with the cone-shaped implant [Koning et al], 5:447
Total extrusion of the talus in an adolescent: a case report [Memisoglu and Hürmeydan], 5:431

Pericardium, equine
Equine pericardium collagen wound dressing in the treatment of the neuropathic diabetic foot wound: a pilot study [Fleischli et al], 4:301

Pes planus
Effect of coexisting foot deformity on disability in women with knee osteoarthritis [Guler et al], 1:23
The flat-footed child—to treat or not to treat: what is the clinician to do? (letters) [Bresnahan, D'Amico], 2:178, 3:267; (author's responses) [Evans], 2:179, 3:268
Subtalar arthroereisis for pediatric flexible pes planovalgus: fifteen years experience with the cone-shaped implant [Koning et al], 5:447

Phalanx
Pedal presentation of metastatic invasive squamous cell carcinoma of the bladder [Dux et al], 3:251

Phototherapy
A review of current research in light-based technologies for treatment of podiatric infectious disease states [Bornstein], 4:348

Pimecrolimus
Can pimecrolimus enhance wound healing? [Miller], 2:173

Podikon
Effectiveness and safety of using Podikon digital silicone padding in the primary prevention of neuropathic lesions in the forefoot of diabetic patients [Scirè et al], 1:28

Ponseti method
A review of the Ponseti method and development of an infant clubfoot program in Vietnam [Evans and Thanh], 4:306

Posture
The effect of heel height on gait and posture: a review of the literature [Cowley et al], 6:512
Poor sitting posture and metatarsus adductus deformity [Losa Iglesias et al], 2:174

President's Message
APMA House of Delegates: acceptance address [Jensen], 3:280
Make your profession your favorite charity [Jensen], 4:380
Public health, parity, and vision 2015 [Taubman], 1:93
Reflections on Vision 2015 and our journey to parity [Taubman], 2:181
Someone ought to do something! [Jensen], 5:478
State of the Association [Taubman], 3:276
"There You Go Again!" [Jensen], 6:547

Pressure, plantar
An assessment of strapping techniques commonly used for pronated foot deformities [Carter and Chockalingam], 5:391
Effectiveness and safety of using Podikon digital silicone padding in the primary prevention of neuropathic lesions in the forefoot of diabetic patients [Scirè et al], 1:28
Effect of running shoe type on the distribution and magnitude of plantar pressures in individuals with low- or high-arched feet [Molloy et al], 4:330
A method for assessing off-loading compliance [Crews et al], 2:100
Plantar epidermoid inclusion cyst as a possible cause of intractable plantar keratosis lesions [García Carmona et al], 2:148
Plantar pressures during shod gait in diabetic neuropathic patients with and without a history of plantar ulceration [Sacco et al], 4:285

Profession, podiatric medical
Evidence-based podiatric medicine: importance of systematic reviews in clinical practice [Hawke et al], 3:260
Knowledge, beliefs, and use of complementary and alternative medicine by Australian podiatric physicians [Wilkinson and Tinley], 2:121
Podiatric medicine: a current assessment [Levrio], 1:65
Public perceptions of the podiatrist and the DPM degree [Akers et al], 3:223

Pronation
An assessment of strapping techniques commonly used for pronated foot deformities [Carter and Chockalingam], 5:391
Late rearfoot eversion and lower-limb internal rotation caused by changes in the interaction between forefoot and support surface [Souza et al], 6:503
Static response of maximally pronated and nonmaximally pronated feet to frontal plane wedging of foot orthoses [Pascual Huerta et al], 1:13

Pseudoaneurysm
Medial plantar artery pseudoaneurysm following percutaneous pinning for Lisfranc fracture-dislocation [Baeza et al], 1:58

Psoriasis
Psoriatic onychopachydermoperiostitis (POPP): a perplexing case study [Mahoney and Scott], 2:140

Public health
International public health in Third World country medical missions: when small legs walk, we all stand a little taller [Lee and Weinstein], 4:371
Self-assessment of foot health: requirements, issues, practicalities, and challenges [Trevethan], 5:460

Q

Quality of life
Quality of life in people with their first diabetic foot ulcer: a prospective cohort study [Winkley et al], 5:406

R

Randomized controlled trials
Evidence-based podiatric medicine: importance of systematic reviews in clinical practice [Hawke et al], 3:260

Rearfoot
Bilateral measurement of resting calcaneal stance position and tibial varum using digital photography and standardized positioning protocols [Mahar and Livingston], 3:198
Classification of frontal plane rearfoot motion patterns during the stance phase of walking [Cornwall and McPoil], 5:399
Effect of 7-degree rearfoot varus and valgus wedging on rearfoot kinematics and kinetics during the stance phase of walking [Pascual Huerta et al], 5:415
Late rearfoot eversion and lower-limb internal rotation caused by changes in the interaction between forefoot and support surface [Souza et al], 6:503
Static response of maximally pronated and nonmaximally pronated feet to frontal plane wedging of foot orthoses [Pascual Huerta et al], 1:13

Research
Evidence-based podiatric medicine: importance of systematic reviews in clinical practice [Hawke et al], 3:260

S

Sclerotome

Lower-extremity sclerotomes: clinical applications and the modified Mayo block [Meyr and DiPrimio], 3:232

Screening, foot

Validation of the Basic Foot Screening Checklist: a population screening tool for identifying foot ulcer risk in people with diabetes mellitus [Bower and Hobbs], 4:339

Silicone

Effectiveness and safety of using Podikon digital silicone padding in the primary prevention of neuropathic lesions in the forefoot of diabetic patients [Scirè et al], 1:28

Skin

Cutaneous surgery: reconsidering electrosurgery [Robinson], 4:353

Histologic evaluation of a 6-month GraftJacket Matrix biopsy used for Achilles tendon augmentation [Liden and Simmons], 2:104

Human papilloma virus type 69 identified in a clinically aggressive plantar verruca from an HIV-positive patient [Whitaker et al], 1:8

Plantar epidermoid inclusion cyst as a possible cause of intractable plantar keratosis lesions [Garcia Carmona et al], 2:148

Psoriatic onychopachydermoperiostitis (POPP): a perplexing case study [Mahoney and Scott], 2:140

Splinting

Dynamic splinting for runner's toe: a case report with gait analysis [John et al], 4:367

Sports medicine

Combined surgical therapy and orthotic management of stress and tuberosity avulsion fracture of the fifth metatarsal bone: a case report [Darabos et al], 6:529

Dynamic splinting for runner's toe: a case report with gait analysis [John et al], 4:367

Effect of running shoe type on the distribution and magnitude of plantar pressures in individuals with low- or high-arched feet [Molloy et al], 4:330

The relationship between the use of foot orthoses and knee ligament injury in female collegiate basketball players (letter) [Curran], 1:89; (author's response) [Jenkins], 1:91

Unrecognized anterior compartment syndrome following ankle fracture surgery: a case report [Seyahi et al], 5:438

StepIt

Antiswelling effect of StepIt—an active foot pump system [Bergqvist], 1:20

Strapping

An assessment of strapping techniques commonly used for pronated foot deformities [Carter and Chockalingam], 5:391

Surgery

Arthrodesis of neuropathic ankle joint by Ilizarov fixator in diabetic patients [Karapinar et al], 1:42

Biomechanical comparison of Achilles tenotomy and Achilloplasty techniques in young rats: an experimental study [Dogan et al], 3:216

Biomechanical consequences of total plantar fasciotomy: a review of the literature [Tweed et al], 5:422

Combined surgical therapy and orthotic management of stress and tuberosity avulsion fracture of the fifth metatarsal bone: a case report [Darabos et al], 6:529

Cutaneous surgery: reconsidering electrosurgery [Robinson], 4:353

Diabetic foot infections: time to change the prognostic concept [Nielson and Ali], 5:454

Distal tibial epiphyseal fracture (Tillaux) and capsular interposition [Poyanli et al], 5:435

Histologic evaluation of a 6-month GraftJacket Matrix biopsy used for Achilles tendon augmentation [Liden and Simmons], 2:104

Iatrogenic osteochondral kissing lesion after transmalleolar drilling of the talar dome: a case report [D'Hooghe et al], 1:54

International public health in Third World country medical missions: when small legs walk, we all stand a little taller [Lee and Weinstein], 4:371

Lower-extremity sclerotomes: clinical applications and the modified Mayo block [Meyr and DiPrimio], 3:232

Medial plantar artery pseudoaneurysm following percutaneous pinning for Lisfranc fracture-dislocation [Baeza et al], 1:58

A new device for performing triplanar distal osteotomy for hallux valgus [Marinozzi et al], 6:536

Subtalar arthroereisis for pediatric flexible pes planovalgus: fifteen years experience with the cone-shaped implant [Koning et al], 5:447

Total extrusion of the talus in an adolescent: a case report [Memisoglu and Hürmeydan], 5:431

Treatment of hallux valgus with three-dimensional modification of Mitchell's osteotomy: technique and results [Lucijanic et al], 2:162

A two-portal posterior endoscopic approach in the treatment of a complex talus fracture: a case report [Ogut et al], 5:443

Ultrasound-guided plantar fascia release technique: a retrospective study of 46 feet [Vohra and Japour], 3:183

Unrecognized anterior compartment syndrome following ankle fracture surgery: a case report [Seyahi et al], 5:438

Swelling

Antiswelling effect of StepIt—an active foot pump system [Bergqvist], 1:20

Synovitis

Flexor tendon sheath as a source of pain in lesser metatarsal overload [Perez and Roberts], 2:129

Synovium

Flexor tendon sheath as a source of pain in lesser metatarsal overload [Perez and Roberts], 2:129

Lipoma arborescens of the peroneus longus and peroneus brevis tendon sheath: case report [Dogramaci et al], 2:153

T

Talipes equinovarus

Biomechanical comparison of Achilles tenotomy and Achilloplasty techniques in young rats: an experimental study [Dogan et al], 3:216

A review of the Ponseti method and development of an infant clubfoot program in Vietnam [Evans and Thanh], 4:306

Talus
Iatrogenic osteochondral kissing lesion after transmalleolar drilling of the talar dome: a case report [D'Hooghe et al], 1:54
Total extrusion of the talus in an adolescent: a case report [Memisoglu and Hürmeydan], 5:431
A two-portal posterior endoscopic approach in the treatment of a complex talus fracture: a case report [Ogut et al], 5:443

Tarsal tunnel syndrome
Varicosities as an etiology of tarsal tunnel syndrome and the significance of Tinel's sign: report of two cases in young men and a review of the literature [Pasku et al], 2:144

Tendon
Biomechanical comparison of Achilles tenotomy and Achilloplasty techniques in young rats: an experimental study [Dogan et al], 3:216
Diffraction-enhanced imaging for Achilles tendon lesions: a preliminary study [Muehleman et al], 2:95
Flexor tendon sheath as a source of pain in lesser metatarsal overload [Perez and Roberts], 2:129
Histologic evaluation of a 6-month GraftJacket Matrix biopsy used for Achilles tendon augmentation [Liden and Simmons], 2:104
Lipoma arborescens of the peroneus longus and peroneus brevis tendon sheath: case report [Dogramaci et al], 2:153

Tenotomy
Biomechanical comparison of Achilles tenotomy and Achilloplasty techniques in young rats: an experimental study [Dogan et al], 3:216

Thrombosis
Antiswelling effect of StepIt—an active foot pump system [Bergqvist], 1:20

Tibia
Bilateral measurement of resting calcaneal stance position and tibial varum using digital photography and standardized positioning protocols [Mahar and Livingston], 3:198
Distal tibial epiphyseal fracture (Tillaux) and capsular interposition [Poyanli et al], 5:435
An enlarging distal tibia osteochondroma in the adult patient [Galasso et al], 2:157

Tinel's sign
Varicosities as an etiology of tarsal tunnel syndrome and the significance of Tinel's sign: report of two cases in young men and a review of the literature [Pasku et al], 2:144

Toe
Dynamic splinting for runner's toe: a case report with gait analysis [John et al], 4:367
L-shaped big toe: a case of severe hallux valgus interphalangeus [Cansü], 3:244
Pedal presentation of metastatic invasive squamous cell carcinoma of the bladder [Dux et al], 3:251
Psoriatic onychopachydermoperiostitis (POPP): a perplexing case study [Mahoney and Scott], 2:140

Tumor
An enlarging distal tibia osteochondroma in the adult patient [Galasso et al], 2:157
Extracorporeal shockwave therapy for interdigital neuroma: a randomized, placebo-controlled, double-blind trial [Fridman et al], 3:191; (letters) [Payne, Landorf, Turlik], 5:472; (authors' response) [Fridman et al], 5:474
Granular cell tumor of the posterior tibial nerve as a rare cause of heel pain: a case report [Dogramaci et al], 3:254
Pedal presentation of metastatic invasive squamous cell carcinoma of the bladder [Dux et al], 3:251
Plantar fibromatosis masquerading as metastatic melanoma [Kroeker et al], 4:364
A proposed subungual exostosis clinical classification and treatment plan [García Carmona et al], 6:519

U

Ulcer
Can pimecrolimus enhance wound healing? [Miller], 2:173
Comprehensive foot examination and risk assessment (print only) [American Diabetes Association], 1:74
Could nebivolol be an alternative drug for the treatment of diabetic foot ulcers? [Gulcan], 5:459
Diabetic foot infections: time to change the prognostic concept [Nielson and Ali], 5:454
Dynamic changes in matrix metalloproteinase 9 and tissue inhibitor of metalloproteinase 1 levels during wound healing in diabetic rats [Yang et al], 6:489
Effectiveness and safety of using Podikon digital silicone padding in the primary prevention of neuropathic lesions in the forefoot of diabetic patients [Scirè et al], 1:28
Equine pericardium collagen wound dressing in the treatment of the neuropathic diabetic foot wound: a pilot study [Fleischli et al], 4:301
Healing ratio may predict patient wound healing capability [Johnson], 3:258
A method for assessing off-loading compliance [Crews et al], 2:100
Plantar pressures during shod gait in diabetic neuropathic patients with and without a history of plantar ulceration [Sacco et al], 4:285
Preclinical symptoms of the diabetic foot [Bekler and Ertav], 2:114
Quality of life in people with their first diabetic foot ulcer: a prospective cohort study [Winkley et al], 5:406
The team approach to amputation prevention: toward a diagnostic lingua franca (print only) [Armstrong], 1:73
Validation of the basic foot screening checklist: a population screening tool for identifying foot ulcer risk in people with diabetes mellitus [Bower and Hobbs], 4:339

Ultrasound
Ultrasound-guided plantar fascia release technique: a retrospective study of 46 feet [Vohra and Japour], 3:183

V

Varicosity
Varicosities as an etiology of tarsal tunnel syndrome and the significance of Tinel's sign: report of two cases in young men and a review of the literature [Pasku et al], 2:144

Vascular system
Antiswelling effect of StepIt—an active foot pump system [Bergqvist], 1:20
Medial plantar artery pseudoaneurysm following percutaneous pinning for Lisfranc fracture-dislocation [Baeza et al], 1:58
Varicosities as an etiology of tarsal tunnel syndrome and the significance of Tinel's sign: report of two cases in young men and a review of the literature [Pasku et al], 2:144

Vein
Antiswelling effect of StepIt—an active foot pump system [Bergqvist], 1:20
Varicosities as an etiology of tarsal tunnel syndrome and the significance of Tinel's sign: report of two cases in young men and a review of the literature [Pasku et al], 2:144

Verruca
Human papilloma virus type 69 identified in a clinically aggressive plantar verra from an HIV-positive patient [Whitaker et al], 1:8

Virus
Human papilloma virus type 69 identified in a clinically aggressive plantar verruca from an HIV-positive patient [Whitaker et al], 1:8

Vitamin D
A comparison of vitamin D levels in nondiabetic and diabetic patient populations [Yoho et al], 1:35

W

Wart
Human papilloma virus type 69 identified in a clinically aggressive plantar verruca from an HIV-positive patient [Whitaker et al], 1:8

AUTHOR INDEX

A

Akan, Kaya: Distal tibial epiphyseal fracture (Tillaux) and capsular interposition [Poyanli et al], 5:435

Akers, Michael D.: Public perceptions of the podiatrist and the DPM degree [Akers et al], 3:223

Akgun, Ulas: Arthrodesis of neuropathic ankle joint by Ilizarov fixator in diabetic patients [Karapinar et al], 1:42

Akman, Senol: Unrecognized anterior compartment syndrome following ankle fracture surgery: a case report [Seyahi et al], 5:438

Alfieri, Donna M.: Public perceptions of the podiatrist and the DPM degree [Akers et al], 3:223

Ali, Yousry: Diabetic foot infections: time to change the prognostic concept [Nielson and Ali], 5:454

Allen, Mike J.: Biomechanical consequences of total plantar fasciotomy: a review of the literature [Tweed et al], 5:422

American Diabetes Association: Comprehensive foot examination and risk assessment (print only), 1:74

Anderson, Julie: Scientific assessment of over-the-counter foot orthoses to determine their effects on pain, balance, and foot deformities [Landsman et al], 3:206

Archer, Juanita A.: Low bone mass and fractures on foot radiographs: missed opportunities to evaluate for osteoporosis: a pilot study [Newton et al], 1:1

Armstrong, David G.:

A method for assessing off-loading compliance [Crews et al], 2:100

The team approach to amputation prevention: toward a diagnostic *lingua franca* (print only), 1:73

Atik, Esin: Lipoma arborescens of the peroneus longus and peroneus brevis tendon sheath: case report [Dogramaci et al], 2:153

Aydingoz, Onder: A two-portal posterior endoscopic approach in the treatment of a complex talus fracture: a case report [Ogut et al], 5:443

B

Bacarin, Tatiana Almeida: Plantar pressures during shod gait in diabetic neuropathic patients with and without a history of plantar ulceration [Sacco et al], 4:285

Baeza, Leslie: Medial plantar artery pseudoaneurysm following percutaneous pinning for Lisfranc fracture-dislocation [Baeza et al], 1:58

Balci, Ali: Effect of coexisting foot deformity on disability in women with knee osteoarthritis [Guler et al], 1:23

Barbosa, Peter: Human papilloma virus type 69 identified in a clinically aggressive plantar verruca from an HIV-positive patient [Whitaker et al], 1:8

Barnes, Mike R.: Biomechanical consequences of total plantar fasciotomy: a review of the literature [Tweed et al], 5:422

Beattie, Aaron C.: Comparison of male and female foot shape [Luo et al], 5:383

Becerro de Bengoa Vallejo, Ricardo:

In-toeing in children with type I osteogenesis imperfecta: an observational descriptive study [Losa Iglesias et al], 4:326

Poor sitting posture and metatarsus adductus deformity [Losa Iglesias et al], 2:174

Bekler, Halil I.: Preclinical symptoms of the diabetic foot [Bekler and Ertav], 2:114

Bergqvist, David: Antiswelling effect of StepIt—an active foot pump system, 1:20

Bevan, Lawrence: A review of the theoretical unified approach to podiatric biomechanics in relation to foot orthoses therapy [Harradine and Bevan], 4:317

Bicanic, Goran: Treatment of hallux valgus with three-dimensional modification of Mitchell's osteotomy: technique and results [Lucijanic et al], 2:162

Bilsel, Nafiz: A two-portal posterior endoscopic approach in the treatment of a complex talus fracture: a case report [Ogut et al], 5:443

Bornstein, Eric: A review of current research in light-based technologies for treatment of podiatric infectious disease states, 4:348

Boulton, Andrew J.M.: A method for assessing off-loading compliance [Crews et al], 2:100

Bower, Virginia M.: Validation of the Basic Foot Screening Checklist: a population screening tool for identifying foot ulcer risk in people with diabetes mellitus [Bower and Hobbs], 4:339

Bozkurt, Attila: Bilateral stress fractures of the distal fibula in a woman with osteoporosis: a case report [Kazimoglu et al], 1:61

Bresnahan, Philip: The flat-footed child—to treat or not to treat: what is the clinician to do? (letter), 2:178

Bulut, Güven: A complex variant of Lisfranc joint complex injury [Bulut et al], 4:359

Burns, Joshua: Evidence-based podiatric medicine: importance of systematic reviews in clinical practice [Hawke et al], 3:260

C

Cain, Jarrett D.: Extracorporeal shockwave therapy for interdigital neuroma: a randomized, placebo-controlled, double-blind trial [Fridman et al], 3:191

Çakici, Hüsamettin: Treatment of plantar fasciitis using four different local injection modalities: a randomized prospective clinical trial [Kalaci et al], 2:108

Campbell, Jackie A.: Biomechanical consequences of total plantar fasciotomy: a review of the literature [Tweed et al], 5:422

Cancilleri, Francesco: A new device for performing triplanar distal osteotomy for hallux valgus [Marinozzi et al], 6:536

Canda, Serefettin: Granular cell tumor of the posterior tibial nerve as a rare cause of heel pain: a case report [Dogramaci et al], 3:254

Canettieri, Maíra Grizzo: Plantar pressures during shod gait in diabetic neuropathic patients with and without a history of plantar ulceration [Sacco et al], 4:285

Cansü, Eren: L-shaped big toe: a case of severe hallux valgus interphalangeus, 3:244

Carter, Kate: An assessment of strapping techniques commonly used for pronated foot deformities [Carter and Chockalingam], 5:391

Cengiz, Nurettin: Biomechanical comparison of Achilles tenotomy and Achilloplasty techniques in young rats: an experimental study [Dogan et al], 3:216

Chalder, Trudie: Quality of life in people with their first diabetic foot ulcer: a prospective cohort study [Winkley et al], 5:406

Chan, Rai-Chi: Improving preventive foot care for diabetic patients participating in group education [Sun et al], 4:295

Chen, Lihong: Dynamic changes in matrix metalloproteinase 9 and tissue inhibitor of metalloproteinase 1 levels during wound healing in diabetic rats [Yang et al], 6:489
Chevalier, Thierry: The effect of heel height on gait and posture: a review of the literature [Cowley et al], 6:512
Chockalingam, Nachiappan:
An assessment of strapping techniques commonly used for pronated foot deformities [Carter and Chockalingam], 5:391
The effect of heel height on gait and posture: a review of the literature [Cowley et al], 6:512
Functional hallux limitus: a review [Durrant and Chockalingam], 3:236
Chou, Chen-Liang: Improving preventive foot care for diabetic patients participating in group education [Sun et al], 4:295
Christie, Douglas S.: Effect of running shoe type on the distribution and magnitude of plantar pressures in individuals with low- or high-arched feet [Molloy et al], 4:330
Cornwall, Mark W.:
Classification of frontal plane rearfoot motion patterns during the stance phase of walking [Cornwall and McPoil], 5:399
Use of low-frequency electrical stimulation for the treatment of plantar fasciitis [Stratton et al], 6:481
Cowley, Emma: The effect of heel height on gait and posture: a review of the literature [Cowley et al], 6:512
Crews, Ryan T.:
Gait changes with the use of Heelys: a case study [Norem et al], 3:247
A method for assessing off-loading compliance [Crews et al], 2:100
Curran, Sarah A.: The relationship between the use of foot orthoses and knee ligament injury in female collegiate basketball players (letter), 1:89

D

Al-Dabagh, Hiba: Low bone mass and fractures on foot radiographs: missed opportunities to evaluate for osteoporosis: a pilot study [Newton et al], 1:1
Da Costa, Maria: Human papilloma virus type 69 identified in a clinically aggressive plantar verruca from an HIV-positive patient [Whitaker et al], 1:8
Dale, Paul S.: Plantar fibromatosis masquerading as metastatic melanoma [Kroeker et al], 4:364
D'Amico, Joseph C.: The flat-footed child—to treat or not to treat: what is the clinician to do? (letter), 3:267
Darabos, Anela: Combined surgical therapy and orthotic management of stress and tuberosity avulsion fracture of the fifth metatarsal bone: a case report [Darabos et al], 6:529
Darabos, Nikica: Combined surgical therapy and orthotic management of stress and tuberosity avulsion fracture of the fifth metatarsal bone: a case report [Darabos et al], 6:529
de Visser, Enrico: Subtalar arthroereisis for pediatric flexible pes planovalgus: fifteen years experience with the cone-shaped implant [Koning et al], 5:447
DeFronzo, Donna: Scientific assessment of over-the-counter foot orthoses to determine their effects on pain, balance, and foot deformities [Landsman et al], 3:206
Demirhan, Mehmet: Unrecognized anterior compartment syndrome following ankle fracture surgery: a case report [Seyahi et al], 5:438
Denaro, Vincenzo: A new device for performing triplanar distal osteotomy for hallux valgus [Marinozzi et al], 6:536
Deschamps, Kevin: Iatrogenic osteochondral kissing lesion after transmalleolar drilling of the talar dome: a case report [D'Hooghe et al], 1:54
D'Hooghe, Pieter: Iatrogenic osteochondral kissing lesion after transmalleolar drilling of the talar dome: a case report [D'Hooghe et al], 1:54
DiPrimio, Raymond: Lower-extremity sclerotomes: clinical applications and the modified Mayo block [Meyr and DiPrimio], 3:232
Dodson, Nicholas B.: A comparison of vitamin D levels in nondiabetic and diabetic patient populations [Yoho et al], 1:35
Dogan, Ali: Biomechanical comparison of Achilles tenotomy and Achilloplasty techniques in young rats: an experimental study [Dogan et al], 3:216
Dogramaci, Yunus:
Granular cell tumor of the posterior tibial nerve as a rare cause of heel pain: a case report [Dogramaci et al], 3:254
Lipoma arborescens of the peroneus longus and peroneus brevis tendon sheath: case report [Dogramaci et al], 2:153
Treatment of plantar fasciitis using four different local injection modalities: a randomized prospective clinical trial [Kalaci et al], 2:108
Domínguez, Gabriel: Metatarsal protrusion angle: values of normality [Domínguez et al], 1:49
Donaldson, Malcolm D.C.: Prediction of anthropometric foot characteristics in children [Morrison et al], 6:497
Donohue, Cornelius M.: Review of *Wound Care Practice* (Sheffield and Fife, eds.), 5:475
Dumont, Isabelle J.: Diagnosis and prevalence of onychomycosis in diabetic neuropathic patients: an observational study, 2:135
Durrant, Beverley: Functional hallux limitus: a review [Durrant and Chockalingam], 3:236
Durward, Brian R.: Prediction of anthropometric foot characteristics in children [Morrison et al], 6:497
Dux, Katherine E.: Pedal presentation of metastatic invasive squamous cell carcinoma of the bladder [Dux et al], 3:251

E

Edmonds, Michael E.: Quality of life in people with their first diabetic foot ulcer: a prospective cohort study [Winkley et al], 5:406
Elabjer, Esmat: Combined surgical therapy and orthotic management of stress and tuberosity avulsion fracture of the fifth metatarsal bone: a case report [Darabos et al], 6:529
Erken, Hüseyin Yener: A complex variant of Lisfranc joint complex injury [Bulut et al], 4:359
Ertav, Aytug: Preclinical symptoms of the diabetic foot [Bekler and Ertav], 2:114
Esen, Erdinc: Lipoma arborescens of the peroneus longus and peroneus brevis tendon sheath: case report [Dogramaci et al], 2:153
Evans, Angela M.:
The flat-footed child—to treat or not to treat: what is the clinician to do? (author's responses), 2:179, 3:268
A review of the Ponseti method and development of an infant clubfoot program in Vietnam [Evans and Thanh], 4:306

F

Farrell, Eric D.: Medial plantar artery pseudoaneurysm following percutaneous pinning for Lisfranc fracture-dislocation [Baeza et al], 1:58

Fernández Morato, Diana: A proposed subungual exostosis clinical classification and treatment plan [García Carmona et al], 6:519

Feuerstein, Catherine: Gait changes with the use of Heelys: a case study [Norem et al], 3:247

Fisher, Sarah B.: Plantar fibromatosis masquerading as metastatic melanoma [Kroeker et al], 4:364

Fleischli, Jeffery W.: Equine pericardium collagen wound dressing in the treatment of the neuropathic diabetic foot wound: a pilot study [Fleischli et al], 4:301

Fleischli, John G.: Equine pericardium collagen wound dressing in the treatment of the neuropathic diabetic foot wound: a pilot study [Fleischli et al], 4:301

Fonseca, Sérgio: Late rearfoot eversion and lower-limb internal rotation caused by changes in the interaction between forefoot and support surface [Souza et al], 6:503

Frerichs, Jill: A comparison of vitamin D levels in nondiabetic and diabetic patient populations [Yoho et al], 1:35

Fridman, Robert: Extracorporeal shockwave therapy for interdigital neuroma: a randomized, placebo-controlled, double-blind trial [Fridman et al], 3:191; (authors' response), 5:474

G

Galasso, Olimpio: An enlarging distal tibia osteochondroma in the adult patient [Galasso et al], 2:157

Garbarini, Maryanne: Comparison of male and female foot shape [Luo et al], 5:383

García Carmona, Francisco Javier:

Effect of 7-degree rearfoot varus and valgus wedging on rearfoot kinematics and kinetics during the stance phase of walking [Pascual Huerta et al], 5:415

Plantar epidermoid inclusion cyst as a possible cause of intractable plantar keratosis lesions [García Carmona et al], 2:148

A proposed subungual exostosis clinical classification and treatment plan [García Carmona et al], 6:519

Geletta, Simon: A comparison of vitamin D levels in nondiabetic and diabetic patient populations [Yoho et al], 1:35

Geter, Kirk: Low bone mass and fractures on foot radiographs: missed opportunities to evaluate for osteoporosis: a pilot study [Newton et al], 1:1

Gocke, Sean P.: Pedal presentation of metastatic invasive squamous cell carcinoma of the bladder [Dux et al], 3:251

Gokalp, M. Ata: Biomechanical comparison of Achilles tenotomy and Achilloplasty techniques in young rats: an experimental study [Dogan et al], 3:216

Greenhagen, Robert: A comparison of vitamin D levels in nondiabetic and diabetic patient populations [Yoho et al], 1:35

Gulcan, Erim: Could nebivolol be an alternative drug for the treatment of diabetic foot ulcers? 5:459

Guler, Hayal: Effect of coexisting foot deformity on disability in women with knee osteoarthritis [Guler et al], 1:23

H

Hakverdi, Sibel: Granular cell tumor of the posterior tibial nerve as a rare cause of heel pain: a case report [Dogramaci et al], 3:254

Hapa, Onur: Treatment of plantar fasciitis using four different local injection modalities: a randomized prospective clinical trial [Kalaci et al], 2:108

Harradine, Paul: A review of the theoretical unified approach to podiatric biomechanics in relation to foot orthoses therapy [Harradine and Bevan], 4:317

Hawke, Fiona: Evidence-based podiatric medicine: importance of systematic reviews in clinical practice [Hawke et al], 3:260

Heesterbeek, Petra J.C.: Subtalar arthroereisis for pediatric flexible pes planovalgus: fifteen years experience with the cone-shaped implant [Koning et al], 5:447

Hennig, Ewald M.: Plantar pressures during shod gait in diabetic neuropathic patients with and without a history of plantar ulceration [Sacco et al], 4:285

Hernandez Toledo, Javier: Plantar epidermoid inclusion cyst as a possible cause of intractable plantar keratosis lesions [Garcia Carmona et al], 2:148

Heybeli, Nurettin: A complex variant of Lisfranc joint complex injury [Bulut et al], 4:359

Hobbs, Michael: Validation of the Basic Foot Screening Checklist: a population screening tool for identifying foot ulcer risk in people with diabetes mellitus [Bower and Hobbs], 4:339

Houston, Vern L.: Comparison of male and female foot shape [Luo et al], 5:383

Hudetz, Damir: Combined surgical therapy and orthotic management of stress and tuberosity avulsion fracture of the fifth metatarsal bone: a case report [Darabos et al], 6:529

Hürmeydan, Ali: Total extrusion of the talus in an adolescent: a case report [Memisoglu and Hürmeydan], 5:431

I

Ismail, Khalida: Quality of life in people with their first diabetic foot ulcer: a prospective cohort study [Winkley et al], 5:406

J

Jao, Shyh-Hua Eric: Improving preventive foot care for diabetic patients participating in group education [Sun et al], 4:295

Japour, Christopher J.: Ultrasound-guided plantar fascia release technique: a retrospective study of 46 feet [Vohra and Japour], 3:183

Jenkins, Walter L.: The relationship between the use of foot orthoses and knee ligament injury in female collegiate basketball players (author's response), 1:91

Jennings, Maureen B.: Public perceptions of the podiatrist and the DPM degree [Akers et al], 3:223

Jensen, Ronald D.:

APMA House of Delegates: acceptance address, 3:280

Make your profession your favorite charity, 4:380

Someone ought to do something! 5:478

"There You Go Again!" 6:547

John, Mathew M.: Dynamic splinting for runner's toe: a case report with gait analysis [John et al], 4:367

Johnson, Jeffrey D.: Healing ratio may predict patient wound healing capability, 3:258

Johnston, James S.: Human papilloma virus type 69 identified in a clinically aggressive plantar verruca from an HIV-positive patient [Whitaker et al], 1:8

Joseph, Warren S.: Guidelines for authors, 3:270, 4:377, 6:541

K

Kalaci, Aydiner:
Granular cell tumor of the posterior tibial nerve as a rare cause of heel pain: a case report [Dogramaci et al], 3:254
Lipoma arborescens of the peroneus longus and peroneus brevis tendon sheath: case report [Dogramaci et al], 2:153
Treatment of plantar fasciitis using four different local injection modalities: a randomized prospective clinical trial [Kalaci et al], 2:108

Kalender, A. Murat: Biomechanical comparison of Achilles tenotomy and Achilloplasty techniques in young rats: an experimental study [Dogan et al], 3:216

Karampekios, Spiros K.: Varicosities as an etiology of tarsal tunnel syndrome and the significance of Tinel's sign: report of two cases in young men and a review of the literature [Pasku et al], 2:144

Karapinar, Hasan:
Arthrodesis of neuropathic ankle joint by Ilizarov fixator in diabetic patients [Karapinar et al], 1:42
Bilateral stress fractures of the distal fibula in a woman with osteoporosis: a case report [Kazimoglu et al], 1:61

Karazincir, Sinem: Effect of coexisting foot deformity on disability in women with knee osteoarthritis [Guler et al], 1:23

Katonis, Pavlos G.: Varicosities as an etiology of tarsal tunnel syndrome and the significance of Tinel's sign: report of two cases in young men and a review of the literature [Pasku et al], 2:144

Kazimoglu, Cemal:
Arthrodesis of neuropathic ankle joint by Ilizarov fixator in diabetic patients [Karapinar et al], 1:42
Bilateral stress fractures of the distal fibula in a woman with osteoporosis: a case report [Kazimoglu et al], 1:61

King, Christy M.: Human papilloma virus type 69 identified in a clinically aggressive plantar verruca from an HIV-positive patient [Whitaker et al], 1:8

Kirby, Kevin A.:
Effect of 7-degree rearfoot varus and valgus wedging on rearfoot kinematics and kinetics during the stance phase of walking [Pascual Huerta et al], 5:415
Static response of maximally pronated and nonmaximally pronated feet to frontal plane wedging of foot orthoses [Pascual Huerta et al], 1:13

Kirkwood, Renata: Late rearfoot eversion and lower-limb internal rotation caused by changes in the interaction between forefoot and support surface [Souza et al], 6:503

Kiss, Alex: Public perceptions of the podiatrist and the DPM degree [Akers et al], 3:223

Knez, Nikica: Combined surgical therapy and orthotic management of stress and tuberosity avulsion fracture of the fifth metatarsal bone: a case report [Darabos et al], 6:529

Koning, Paul Michel: Subtalar arthroereisis for pediatric flexible pes planovalgus: fifteen years experience with the cone-shaped implant [Koning et al], 5:447

Kontakis, George M.: Varicosities as an etiology of tarsal tunnel syndrome and the significance of Tinel's sign: report of two cases in young men and a review of the literature [Pasku et al], 2:144

Korkmaz, Mahmut: Biomechanical comparison of Achilles tenotomy and Achilloplasty techniques in young rats: an experimental study [Dogan et al], 3:216

Kroeker, Teresa R.: Plantar fibromatosis masquerading as metastatic melanoma [Kroeker et al], 4:364

L

Landorf, Karl B.:
Evidence-based podiatric medicine: importance of systematic reviews in clinical practice [Hawke et al], 3:260
Extracorporeal shockwave therapy for interdigital neuroma: a randomized, placebo-controlled, double-blind trial (letter), 5:472

Landsman, Adam: Scientific assessment of over-the-counter foot orthoses to determine their effects on pain, balance, and foot deformities [Landsman et al], 3:206

Lao, Guojuan: Dynamic changes in matrix metalloproteinase 9 and tissue inhibitor of metalloproteinase 1 levels during wound healing in diabetic rats [Yang et al], 6:489

Laughlin, Terese J.: Equine pericardium collagen wound dressing in the treatment of the neuropathic diabetic foot wound: a pilot study [Fleischli et al], 4:301

Lee, Daniel K.: International public health in Third World country medical missions: when small legs walk, we all stand a little taller [Lee and Weinstein], 4:371

Leporati, Elisa: Effectiveness and safety of using Podikon digital silicone padding in the primary prevention of neuropathic lesions in the forefoot of diabetic patients [Scirè et al], 1:28

Levrio, Jay: Podiatric medicine: a current assessment, 1:65

Li, Jun: Diffraction-enhanced imaging for Achilles tendon lesions: a preliminary study [Muehleman et al], 2:95

Liden, Brock A.: Histologic evaluation of a 6-month Graft-Jacket Matrix biopsy used for Achilles tendon augmentation [Liden and Simmons], 2:104

Lin, Hong-Da: Improving preventive foot care for diabetic patients participating in group education [Sun et al], 4:295

Lisle, Allison: Plantar fibromatosis masquerading as metastatic melanoma [Kroeker et al], 4:364

Livingston, Lori A.: Bilateral measurement of resting calcaneal stance position and tibial varum using digital photography and standardized positioning protocols [Mahar and Livingston], 3:198

Lloyd, Errol: Low bone mass and fractures on foot radiographs: missed opportunities to evaluate for osteoporosis: a pilot study [Newton et al], 1:1

Lomas, Mercedes: Metatarsal protrusion angle: values of normality [Domínguez et al], 1:49

Losa Iglesias, Marta Elena:
In-toeing in children with type I osteogenesis imperfecta: an observational descriptive study [Losa Iglesias et al], 4:326
Poor sitting posture and metatarsus adductus deformity [Losa Iglesias et al], 2:174

Louwerens, Jan Willem: Definitions of hammer toe and claw toe: an evaluation of the literature [Schrier et al], 3:194

Lucijanic, Ivica: Treatment of hallux valgus with three-dimensional modification of Mitchell's osteotomy: technique and results [Lucijanic et al], 2:162

Luo, Gangming: Comparison of male and female foot shape [Luo et al], 5:383

M

Mahar, Shannon M.: Bilateral measurement of resting calcaneal stance position and tibial varum using digital photography and standardized positioning protocols [Mahar and Livingston], 3:198

Mahoney, James M.: Psoriatic onychopachydermoperiostitis (POPP): a perplexing case study [Mahoney and Scott], 2:140

Mariconda, Massimo: An enlarging distal tibia osteochondroma in the adult patient [Galasso et al], 2:157
Marinozzi, Andrea: A new device for performing triplanar distal osteotomy for hallux valgus [Marinozzi et al], 6:536
Martinelli, Nicolò: A new device for performing triplanar distal osteotomy for hallux valgus [Marinozzi et al], 6:536
Matricali, Giovanni: Iatrogenic osteochondral kissing lesion after transmalleolar drilling of the talar dome: a case report [D'Hooghe et al], 1:54
McPoil, Thomas G.:
Classification of frontal plane rearfoot motion patterns during the stance phase of walking [Cornwall and McPoil], 5:399
Effect of running shoe type on the distribution and magnitude of plantar pressures in individuals with low- or high-arched feet [Molloy et al], 4:330
Use of low-frequency electrical stimulation for the treatment of plantar fasciitis [Stratton et al], 6:481
Memisoglu, Kaya: Total extrusion of the talus in an adolescent: a case report [Memisoglu and Hürmeydan], 5:431
Meng, Ren: Dynamic changes in matrix metalloproteinase 9 and tissue inhibitor of metalloproteinase 1 levels during wound healing in diabetic rats [Yang et al], 6:489
Meyr, Andrew J.: Lower-extremity sclerotomes: clinical applications and the modified Mayo block [Meyr and DiPrimio], 3:232
Milano, Carlo: An enlarging distal tibia osteochondroma in the adult patient [Galasso et al], 2:157
Miller, Steven: Can pimecrolimus enhance wound healing? 2:173
Mirkovic, Maja: Treatment of hallux valgus with three-dimensional modification of Mitchell's osteotomy: technique and results [Lucijanic et al], 2:162
Molloy, Joseph M.: Effect of running shoe type on the distribution and magnitude of plantar pressures in individuals with low- or high-arched feet [Molloy et al], 4:330
Morrison, Stewart C.: Prediction of anthropometric foot characteristics in children [Morrison et al], 6:497
Muehleman, Carol: Diffraction-enhanced imaging for Achilles tendon lesions: a preliminary study [Muehleman et al], 2:95
Munuera, Pedro V.: Metatarsal protrusion angle: values of normality [Domínguez et al], 1:49
Mussman, Martin: Comparison of male and female foot shape [Luo et al], 5:383

N

Neal, Matthew S.: Effect of running shoe type on the distribution and magnitude of plantar pressures in individuals with low- or high-arched feet [Molloy et al], 4:330
Nelson, Eric S.: Effect of running shoe type on the distribution and magnitude of plantar pressures in individuals with low- or high-arched feet [Molloy et al], 4:330
Newton, Marisha T.: Low bone mass and fractures on foot radiographs: missed opportunities to evaluate for osteoporosis: a pilot study [Newton et al], 1:1
Nielson, David L.: Diabetic foot infections: time to change the prognostic concept [Nielson and Ali], 5:454
Nobili, Laura Ambrosini: Effectiveness and safety of using Podikon digital silicone padding in the primary prevention of neuropathic lesions in the forefoot of diabetic patients [Scirè et al], 1:28
Norem, Nathan: Gait changes with the use of Heelys: a case study [Norem et al], 3:247
Nwokike, Maria: Low bone mass and fractures on foot radiographs: missed opportunities to evaluate for osteoporosis: a pilot study [Newton et al], 1:1

O

Obrovac, Karlo: Combined surgical therapy and orthotic management of stress and tuberosity avulsion fracture of the fifth metatarsal bone: a case report [Darabos et al], 6:529
Ogut, Tahir: A two-portal posterior endoscopic approach in the treatment of a complex talus fracture: a case report [Ogut et al], 5:443
Orejana García, Angel Manuel: Effect of 7-degree rearfoot varus and valgus wedging on rearfoot kinematics and kinetics during the stance phase of walking [Pascual Huerta et al], 5:415
Ozer, Cahit: Effect of coexisting foot deformity on disability in women with knee osteoarthritis [Guler et al], 1:23
Ozkan, Korhan: Distal tibial epiphyseal fracture (Tillaux) and capsular interposition [Poyanli et al], 5:435

P

Palefsky, Joel M.: Human papilloma virus type 69 identified in a clinically aggressive plantar verruca from an HIV-positive patient [Whitaker et al], 1:8
Papalia, Rocco: A new device for performing triplanar distal osteotomy for hallux valgus [Marinozzi et al], 6:536
Pascual Huerta, Javier:
Effect of 7-degree rearfoot varus and valgus wedging on rearfoot kinematics and kinetics during the stance phase of walking [Pascual Huerta et al], 5:415
Plantar epidermoid inclusion cyst as a possible cause of intractable plantar keratosis lesions [García Carmona et al], 2:148
A proposed subungual exostosis clinical classification and treatment plan [García Carmona et al], 6:519
Static response of maximally pronated and nonmaximally pronated feet to frontal plane wedging of foot orthoses [Pascual Huerta et al], 1:13
Pasku, Dritan S.: Varicosities as an etiology of tarsal tunnel syndrome and the significance of Tinel's sign: report of two cases in young men and a review of the literature [Pasku et al], 2:144
Patrick, Kyle: Use of low-frequency electrical stimulation for the treatment of plantar fasciitis [Stratton et al], 6:481
Payne, Craig B.: Extracorporeal shockwave therapy for interdigital neuroma: a randomized, placebo-controlled, double-blind trial (letter), 5:472
Pecina, Marko: Treatment of hallux valgus with three-dimensional modification of Mitchell's osteotomy: technique and results [Lucijanic et al], 2:162
Perez, Hugo R.: Flexor tendon sheath as a source of pain in lesser metatarsal overload [Perez and Roberts], 2:129
Pertence, Antônio: Late rearfoot eversion and lower-limb internal rotation caused by changes in the interaction between forefoot and support surface [Souza et al], 6:503
Piaggesi, Alberto: Effectiveness and safety of using Podikon digital silicone padding in the primary prevention of neuropathic lesions in the forefoot of diabetic patients [Scirè et al], 1:28
Pinto, Rafael: Late rearfoot eversion and lower-limb internal rotation caused by changes in the interaction between forefoot and support surface [Souza et al], 6:503

Portillo, Alberto: Dynamic splinting for runner's toe: a case report with gait analysis [John et al], 4:367
Poyanli, Oguz: Distal tibial epiphyseal fracture (Tillaux) and capsular interposition [Poyanli et al], 5:435

R

Rizzo, Loredana: Effectiveness and safety of using Podikon digital silicone padding in the primary prevention of neuropathic lesions in the forefoot of diabetic patients [Scirè et al], 1:28
Roberts, Joshua: Flexor tendon sheath as a source of pain in lesser metatarsal overload [Perez and Roberts], 2:129
Robinson, Caroline: Cutaneous surgery: reconsidering electrosurgery, 4:353
Ronconi, Paolo: A new device for performing triplanar distal osteotomy for hallux valgus [Marinozzi et al], 6:536
Ropa Moreno, Juan Manuel:
Effect of 7-degree rearfoot varus and valgus wedging on rearfoot kinematics and kinetics during the stance phase of walking [Pascual Huerta et al], 5:415
Static response of maximally pronated and nonmaximally pronated feet to frontal plane wedging of foot orthoses [Pascual Huerta et al], 1:13
Roukis, Thomas: Scientific assessment of over-the-counter foot orthoses to determine their effects on pain, balance, and foot deformities [Landsman et al], 3:206

S

Sacco, Isabel C.N.: Plantar pressures during shod gait in diabetic neuropathic patients with and without a history of plantar ulceration [Sacco et al], 4:285
Saez Crespo, Antonio: Poor sitting posture and metatarsus adductus deformity [Losa Iglesias et al], 2:174
Sage, Ronald A.: Pedal presentation of metastatic invasive squamous cell carcinoma of the bladder [Dux et al], 3:251
Sahin, Gunsah: Effect of coexisting foot deformity on disability in women with knee osteoarthritis [Guler et al], 1:23
Salgado, Christopher J.: Medial plantar artery pseudoaneurysm following percutaneous pinning for Lisfranc fracture-dislocation [Baeza et al], 1:58
Salvadores Fuentes, Paloma:
In-toeing in children with type I osteogenesis imperfecta: an observational descriptive study [Losa Iglesias et al], 4:326
Poor sitting posture and metatarsus adductus deformity [Losa Iglesias et al], 2:174
Satterfield, V. Kathleen: Review of *Keep the Legs You Stand On* (Hinkes), 5:477
Schiff, Adam: Diffraction-enhanced imaging for Achilles tendon lesions: a preliminary study [Muehleman et al], 2:95
Schrier, Joost C.M.: Definitions of hammer toe and claw toe: an evaluation of the literature [Schrier et al], 3:194
Scirè, Vincenzo: Effectiveness and safety of using Podikon digital silicone padding in the primary prevention of neuropathic lesions in the forefoot of diabetic patients [Scirè et al], 1:28
Scott, Ryan: Psoriatic onychopachydermoperiostitis (POPP): a perplexing case study [Mahoney and Scott], 2:140
Scruggs, Michangelo: Low bone mass and fractures on foot radiographs: missed opportunities to evaluate for osteoporosis: a pilot study [Newton et al], 1:1
Sener, Muhittin:
Arthrodesis of neuropathic ankle joint by Ilizarov fixator in diabetic patients [Karapinar et al], 1:42
Bilateral stress fractures of the distal fibula in a woman with osteoporosis: a case reprt [Kazimoglu et al], 1:61
Sevinç, Teoman Toni:
Granular cell tumor of the posterior tibial nerve as a rare cause of heel pain: a case report [Dogramaci et al], 3:254
Lipoma arborescens of the peroneus longus and peroneus brevis tendon sheath: case report [Dogramaci et al], 2:153
Treatment of plantar fasciitis using four different local injection modalities: a randomized prospective clinical trial [Kalaci et al], 2:108
Seyahi, Aksel:
A two-portal posterior endoscopic approach in the treatment of a complex talus fracture: a case report [Ogut et al], 5:443
Unrecognized anterior compartment syndrome following ankle fracture surgery: a case report [Seyahi et al], 5:438
Simmons, Melitta: Histologic evaluation of a 6-month Graft-Jacket Matrix biopsy used for Achilles tendon augmentation [Liden and Simmons], 2:104
Smith, Robert G.: An appraisal of potential drug interactions in cigarette smokers and alcohol drinkers, 1:81
Sonicki, Zdenko: Treatment of hallux valgus with three-dimensional modification of Mitchell's osteotomy: technique and results [Lucijanic et al], 2:162
Souza, Thales: Late rearfoot eversion and lower-limb internal rotation caused by changes in the interaction between forefoot and support surface [Souza et al], 6:503
Spooner, Simon K.: Review of *Foot and Lower Extremity Biomechanics III: Precision Intricast Newsletters, 2002-2008* (Kirby), 5:476
Stahl, Daniel: Quality of life in people with their first diabetic foot ulcer: a prospective cohort study [Winkley et al], 5:406
Stratton, Michael: Use of low-frequency electrical stimulation for the treatment of plantar fasciitis [Stratton et al], 6:481
Sun, Pi-Chang: Improving preventive foot care for diabetic patients participating in group education [Sun et al], 4:295

T

Tadros, Ayman M.A.: Fracture-dislocation of the second metatarsophalangeal joint: a case report, 6:525
Taubman, Ross E.:
Public health, parity, and vision 2015, 1:93
Reflections on Vision 2015 and our journey to parity, 2:181
State of the Association, 3:276
Teobaldi, Ilaria: Effectiveness and safety of using Podikon digital silicone padding in the primary prevention of neuropathic lesions in the forefoot of diabetic patients [Scirè et al], 1:28
Teyhen, Deydre S.: Effect of running shoe type on the distribution and magnitude of plantar pressures in individuals with low- or high-arched feet [Molloy et al], 4:330
Thanh, Do Van: A review of the Ponseti method and development of an infant clubfoot program in Vietnam [Evans and Thanh], 4:306
Thongpop, Chaiya: Comparison of male and female foot shape [Luo et al], 5:383
Tinley, Paul: Knowledge, beliefs, and use of complementary and alternative medicine by Australian podiatric physicians [Wilkinson and Tinley], 2:121

Tragord, Bradley S.: Effect of running shoe type on the distribution and magnitude of plantar pressures in individuals with low- or high-arched feet [Molloy et al], 4:330
Traverso, Vincent: Gait changes with the use of Heelys: a case study [Norem et al], 3:247
Trede, Renato: Late rearfoot eversion and lower-limb internal rotation caused by changes in the interaction between forefoot and support surface [Souza et al], 6:503
Trevethan, Robert: Self-assessment of foot health: requirements, issues, practicalities, and challenges, 5:460
Turhanoglu, Ayse Dicle: Effect of coexisting foot deformity on disability in women with knee osteoarthritis [Guler et al], 1:23
Turlik, Michael: Extracorporeal shockwave therapy for interdigital neuroma: a randomized, placebo-controlled, double-blind trial (letter), 5:472
Tweed, Jo L.: Biomechanical consequences of total plantar fasciotomy: a review of the literature [Tweed et al], 5:422

U

Ugutmen, Ender: Distal tibial epiphyseal fracture (Tillaux) and capsular interposition [Poyanli et al], 5:435
Uludag, Serkan: Unrecognized anterior compartment syndrome following ankle fracture surgery: a case report [Seyahi et al], 5:438
Unay, Koray: Distal tibial epiphyseal fracture (Tillaux) and capsular interposition [Poyanli et al], 5:435

V

VanDemark-Teplica, Jennifer M.: Public perceptions of the podiatrist and the DPM degree [Akers et al], 3:223
Verheyen, Cees C.P.M.: Definitions of hammer toe and claw toe: an evaluation of the literature [Schrier et al], 3:194
Vohra, Praveen K.: Ultrasound-guided plantar fascia release technique: a retrospective study of 46 feet [Vohra and Japour], 3:183

W

Watt, Gordon F.: Prediction of anthropometric foot characteristics in children [Morrison et al], 6:497
Wei, Shun-Hwa: Improving preventive foot care for diabetic patients participating in group education [Sun et al], 4:295
Weil, Lowell, Jr.: Extracorporeal shockwave therapy for interdigital neuroma: a randomized, placebo-controlled, double-blind trial [Fridman et al], 3:191; (authors' response), 5:474
Weinstein, Stanley: International public health in Third World country medical missions: when small legs walk, we all stand a little taller [Lee and Weinstein], 4:371
Whitaker, Jeffrey M.: Human papilloma virus type 69 identified in a clinically aggressive plantar verruca from an HIV-positive patient [Whitaker et al], 1:8
Wilkinson, Jenny M.: Knowledge, beliefs, and use of complementary and alternative medicine by Australian podiatric physicians [Wilkinson and Tinley], 2:121
Willis, F. Buck: Dynamic splinting for runner's toe: a case report with gait analysis [John et al], 4:367
Winkley, Kirsty: Quality of life in people with their first diabetic foot ulcer: a prospective cohort study [Winkley et al], 5:406
Wrobel, James S.: Gait changes with the use of Heelys: a case study [Norem et al], 3:247

Y

Yan, Li: Dynamic changes in matrix metalloproteinase 9 and tissue inhibitor of metalloproteinase 1 levels during wound healing in diabetic rats [Yang et al], 6:489
Yanat, Ahmet Nedim:
Granular cell tumor of the posterior tibial nerve as a rare cause of heel pain: a case report [Dogramaci et al], 3:254
Lipoma arborescens of the peroneus longus and peroneus brevis tendon sheath: case report [Dogramaci et al], 2:153
Treatment of plantar fasciitis using four different local injection modalities: a randomized prospective clinical trial [Kalaci et al], 2:108
Yang, Chuan: Dynamic changes in matrix metalloproteinase 9 and tissue inhibitor of metalloproteinase 1 levels during wound healing in diabetic rats [Yang et al], 6:489
Yasmin, Davud: A complex variant of Lisfranc joint complex injury [Bulut et al], 4:359
Yeykal, Nancy S.: Effect of running shoe type on the distribution and magnitude of plantar pressures in individuals with low- or high-arched feet [Molloy et al], 4:330
Yildiz, Muzaffer: A complex variant of Lisfranc joint complex injury [Bulut et al], 4:359
Yoho, Robert M.: A comparison of vitamin D levels in nondiabetic and diabetic patient populations [Yoho et al], 1:35

Z

Zhong, Zhong: Diffraction-enhanced imaging for Achilles tendon lesions: a preliminary study [Muehleman et al], 2:95
Zhu, Ping: Dynamic changes in matrix metalloproteinase 9 and tissue inhibitor of metalloproteinase 1 levels during wound healing in diabetic rats [Yang et al], 6:489
Zomaya, Nancy: Gait changes with the use of Heelys: a case study [Norem et al], 3:247